562.

1715.

B-14

Flores Peruvianus
Flores Peruvianus
medicinales
Die Seattle - see
herbar.
London, 1715.

E. LEWIS STURTEVANT.

Woarstenn Lyst. Vertaal
uit Feuillée, Histoire
des plantes médicales
de Perou et Chile.
Dr. Pittier Procedures
Sect. 417.

Merkwaardig om de afb.
N. 16 der Quinquina
of Peruaans bark.

Hortus PERUVIANUS *Medicinalis*:

OR,

The *SOUTH-SEA* Herbal.

Containing the *Names*, *Figures*, *Uſe*, &c. of divers *Medicinal Plants*, lately *diſcovered* by *Pere L. Feuillèe*, one of the *King* of *France*'s Herbaliſts.

To which are ADDED,

The Figures, *&c. of divers* American *Gum-Trees*, Dying *Woods*, Drugs, *as the* Jeſuits Bark-Tree *and others, much deſired and very neceſſary to be known by all ſuch as now* Traffick *to the* South-Seas, *or reſide in thoſe Parts.*

TAB. I. *Medicinal* PERU Plants.

FIG. 1. *Peru* Chilca *or* Long *Fleabane.*
Conyza frut. fol. anguſt. nervoſis L. *Feuillée* p. 750.
Conyza Afric. humilis, *fol.* anguſtioribus nervoſis, *Floribus* umbellatis *Inſt. Rei Herb.* 455.

It has a pleaſant Smell, the *Indians* make a *Tea* of it, to ſtrengthen their Stomach.

2. Manga Paki *or* Round *Peru* Fleabane
Conyza fol. ſubrotundo utrinque acuto F. p. 749.

This is a ſweetning Herb, Aſtringent and Vulnerary, the *Natives* drink a *Tea* of it in *Cholick* Pains, *Diſſenteries*, and other Fluxes. *Grows* 4 Feet high with blewiſh *Flowers*, in the Valleys about *Lima* the Capital City of *Peru*.

3. Paica Jullo. Bidens *Mercurialis* folio, fl. radiato F. 744. Its *Flower-rim* white. *Grows* about *Lima* and *Callao*.

4. *Cuiez-bane. Bidens* fol. trinervi lanceato, *fl.* ſingulari & radiato F. 766.

The *Flower-rim* compoſed of 6 yellow *Petals*. Grows in the ſtoney Valleys of *Lima*. It's a purging Plant, but rarely uſed by reaſon of its Violence, they alſo think it a *Poiſon*, becauſe it kills a Houſe Animal call'd *Cuiez* in *Peru* and *Chili*.

5. White, *Mugwort* Bident. Bidens *Arthemiſiæ* folio, *fl.* albo radiato F. 745.

Found in the Plains about *Lima*.

6. Heart-leaved *Maracoc*.
Granadilla pomifera, *Tiliæ* folio F. 720.

Its Rays crimſon with a white Circle in the middle. *Grows* in the Vallies about *Lima* in divers Places, it's alſo nurſed in their Gardens.

7. Trifid, ſpotted *Maracoc*.
Granadilla fol. *tricuſpidi*, obtuſo & oculato F. 718.

Obſerved in a *Garden* at *Malambo*, in the *Suburbs* North of *Lima*.

8. Caigua *or* ſtriped *Melon*.
Momordica fructu ſtriato lævi.

The *Natives* eat its *Fruit* in their Broths which much refreſhes and cools them, the Heats there being very exceſſive. A. and B. are 2 ſmall *Beetles* which feed on the *Leaves* of this Plant.

9. *Lima* Pumkin.
Melongena Laurifolia, *fr.* turbinato variegato F. 735.

Its *Flower* white with a purple Star, the *Fruit* much eaten at *Lima* but apt to cauſe *Fevers*, which are there difficult to cure. C. its *Fr.* Slit.

10. Purple *Bladder Nightſhade*
Alkakengi amplo *flore* violaceo F 724.

They boil 3 or 4 of theſe *Berries* in White-wine or Water, and drink it with wonderful Succeſs in Stoppage of *Urine* or *Gravel*.

11. *Ancoacha* or yellow *Mallow*.
Malva lutea, calyce ſimplici, obtuſo *Carpini* folio, pediculis florum prælongis F. 750.

Its *Flower* yellow with a purple fringed bottom and cordated *Petals*. A Tea of this is wonderful in Ails of the *Stomach*, the *Indians* pick and make a Poultiſs of it, which they apply to ripen *Swellings* and uſe it as an *Univerſal* Remedy. *Grows* in moiſt Ground and by *River-ſides* North of *Lima*.

12. Lima *Tea*.
Capraria Peruviana *Agerati* foliis, abſque pediculis F. 764.

Pere Feuillée ſays, the *Virtues* of this Herb (which are the ſame with the *China Tea*) was not known in *Peru* till 1709.

N. B. This ſeems to be the ſame or little different from Dr. *Sloan*'s Weſt-India *Tea*, which he has deſcribed in his *Nat.* Hiſt. of *Jamaica* p. 209. pl. 25. who ſays it's call'd in Curaſſow *Cabritta* and *Capraria* becauſe the *Goats* there feed on it, which laſt Name our *Author* here calls it by. *J. Petiver.*

TAB. II. Medicinal *Peru* and *Chili* Plants.

Fig. 1. LIma *Tobacco*.
Nicotiana minor, fol. cordi formi, tubo *Floris* prælongo F. 717. Its Flower of a greeniſh yellow. *Grows* in *Valleys*.

2. Ray-leaved *Bignon*.
Bignonia fl. luteo, *foliis* radiatis, & elegantiſſimè diſſectis F. 731. *Found* in a very dry Place at the Foot of high *Mountains* about *Arica*.

3. Broad *Clove-ſtrife*.
Onagra Laurifolia *fl.* amplo pentapetalo. F. 716.

* Small *Female* Clove-ſtrife.
Onagra minor, *fl.* luteo pentapetalo.

The *Flower* yellow and L. like the laſt, but both ſmaller. The *Indians* highly eſteem theſe 2 Shrubs, making a Poultiſe of the L. pickt, which ſweetens, mollifies and diſſolves, fit therefore to diſſipate inveterate *Tumors* and *Buboes* which are very common in thoſe Parts. Theſe *grow* by *River* ſides.

4. Log-rooted *yellow* Wood-ſorrel.
Oxys luteo flore, *rad.* craſſiſſima F. 734.

Grows on the *Mountains* of *Peru*, &c.

5. Spotted *Mountain* Pelegrina.
Hemerocallis fl. purpuraſcentibus maculatis F. 711.

The Beauty of this *Flower* is, in having 3 of its *Petals* ſpotted, the reſt plain, and therefore the *Spaniards* call'd it *Pelegrina* or *Curious*.

6. Ylo *Hounds-tongue*.
Cynogloſſum fol. nervoſis acutiſſimis F. 765.

Grows in the *Valley* of *Ilo* near *Arica* about a Foot and an half *high*, with *blewiſh* Flowers.

7. Malla *or* Peru *Creſs-Violet*.
Cardamindum quinquifido folio F. 756.

This elegant Plant the *Spaniards* call *Paxarito* becauſe its *Flower* is compoſed of 2 particular large yellow L. extended like the Wings of a *Bird*. Grows about *Lima*.

8. Lima *Flower fence* or *Tara*.
Poinciana ſpinoſa *Feuillée*. 572.

The *Dyers* uſe the Huſks of this *Fruit* to dye black, they ſoke ſome of the Pods all Night in Watet, mix a little *Allum* with it, and boil it to a due Thickneſs, which makes a very fine Black and ſtrong *Ink*.

Medicinal *Chili* Plants.

9. Daſie *Ragwort* or *Nillque*.
Jacobea *Leucanthemi* vulg. folio F. 759.

Its *Flowers* yellow. They drink a *Tea* of this after the cold Fit, which abates the hot in intermitting *Fevers*. *Grows* on the ragged *Sea* Banks of *Chili*, &c.

10. Chili *Dutroa* or *Floripondio*.
Stramonoides arboreum oblongo & integro folio, *fructu* lævi F. 761.

Grows in *Chili* about a Yard high, with a white *Flower* ſo very ſweet, that a ſingle Plant is enough to perfume a whole *Garden*. They apply the L. to haſten the Suppuration of *Tumors* which it does effectually. *N. B.* This Plant bears the *Flower* of a *Stramonium* or *Thorn apple*, but differs in its *Fruit* being ſmooth, there is a ſort of this in the *Hort. Malabaricus* Vol. 2. Tab. 29.

Mo. Bot. Garden,
1693

11. Chili *Nightſhade*
Solanum *Chenopodoides*, acinis albeſcentibus F. 721.

The *Natives* were ignorant of the *Virtue* of this Plant until the *Negroes* came amongſt them who were ſubject to a certain *Diſeaſe* which kill'd them in their Prime, it was an extraordinary Extenſion of the *Anus* attended with a *Fever*, which was ſo mortal, that many of them dy'd before they diſcover'd this *Remedy*. They juice the tops of this Plant, mixing it with *Roſe-water* and a little *Allum*, which taken cures their Ail, ſtops the *Fever*, and they become very well. With this Juice they alſo bathe their *Eyes*, which takes away all *Pains* and *Dimneſs* in them. This *Sovereign* Plant *grows* about a Yard high, on the Mountains of *Valparaiſo*, &c.

12. Oak-leaved *Bitterſweet*.
Solanum foliis *Quercinis*. F. 722. Its *Flower* purple, *found* with the laſt, and *grows* near 2 *Yards* high.

TAB. III. Medicinal *Chili* Plants.

Fig. 1. SCarlet *Avens* or *Quellgon*.
Caryophylata fol. alatis, *fl.* amplo coccineo F. 726.

Its an *Aperitive* Herb, which the *Natives* make a *Tea* of to keep their Bodies in order. *Grows* about half a Yard high on the ſides of *Mountains*.

2. Purple *Septfoil*.
Pentaphylloides *Alceæ* minori folio, *fl.* purp. F. 763.

Grows about a Foot high, with a purple *Flower*, on the Banks of the *River* Plata.

3. Panama *Centaury*.
Centaurium minus purp. patulum F. 747.

This Plant is very bitter. They make a *Tea* of it which is *Aperitive* and *Sudorifick*, it fortifies the *Stomach*, kills *Worms*, cures intermitting *Fevers* and the *Jaundice*, it's alſo given with very good Succeſs in *Rheumatiſms*, &c. They take it as hot as may be in Bed, covering themſelves cloſe, to provoke Sweat. *N.B.* The *Hiſtory* of the *Academy Royal* des Sciences A. D. 1707. p. 65. 8°. gives great Encomiums to this Plant, which they ſay has a fragrant Smell like *Natural Balſam*, and is ſo great a Sweetner of the Blood, that it's a ſpecifick in *Pleuriſies*, and in *Fevers* they uſe it inſtead of the *Jeſuits Bark*. Its *found* plentifully about *Panama* and divers other Places, that which grows on the *Mountains* is eſteem'd the *beſt*. *J. P.*

4. Upright Purple *Wood-ſorrel*.
Oxys roſeo *flore* erectior F. 733.

They make a *Tiſan* or *Broath* of this Herb, which is opening its *L.* are tart and refreſhing, they abate *Choler* and cool the Heat of the Blood. *Grows* on the vaſt Plains along the *River* Plata.

6. Light *or* Purple ſtriped *Day-Lilly*.
Hemerocallis flor. purpuraſcentibus ſtriatis F. 710. Grows by *River* ſides.

7. Salſilla *or* Purple climing *Lilly*.
Hemerocallis ſcandens, *flor.* purpureis F. 713.

The *Natives* uſe the *Root* of this and attribute the ſame *Virtues* to it as *Sarſaparilla*, they infuſe it all Night in cold Water, and drink it for Pains in the *Stomach* alſo, and find great Relief by it.

8. *Illeu* or *Chili* Spiderwort.
Bermudiana cærulea, *Phalangii* ramoſi facie F. 715.

Grows *on* Mountains.

9. *Yellow* Star-leaved *Salſa*.
Salſa fol. radiatis, *floribus ſubluteis* F. 716.

The *Author* ſays this Plant is very well known in *Europe* for its Uſe in *Venereal* Diſeaſes.

10. Nuil *or* Gland-flag.
Epipactis flor. uno verſu diſpoſitis F. 727.

Its *Flowers* all white. The *Natives* drink a Tea of it in Stoppage of *Urine* proceeding from the *Gravel*, it's alſo good to expel *Wind*. Grows *on* Mountains and *dry* Places.

11. White *Gavilu* with a yellow Lip.
Epipactis fl. albo F. 727.

Grows 3 Foot high, in the ſame places with the laſt, and has the like *Virtues*.

12. *Piquicken* with a greeniſh Flower.
Epipactis fl. vireſcente & variegato F. 727.

Grows on the ſides of *Mountains* a Yard *high*.

13. *Gavilu* with a large *yellow* Flower.
Epipactis amplo *flore* luteo F. 729.

The *Indian Women* newly laid in, mix the *Juice* of this Plant with their *Broths* to cauſe their *Milk* to return, which it does in plenty.

TAB. IV. Medicinal *Chili* Plants.

Fig. 1. YEllow *Hedge Hyſſope*. *Gratiola* fol. ſubrot. nervoſis fl. luteis F. 745.

The *Indians* eat this Herb in their *Soops* to refreſh them. *Grows* in *moiſt* Ground and by *River* ſides.

2. Bloody, ſtreakt *Rampion*.
Rapuntii facie, *fol.* finuatis, *flore* ampliſſimo ſanguineo & ſtriato F. 729.

Grows near *Rivers* and in *moiſt* places 2 Foot high.

3. Tupa *or* Chili *Cardinal Flower*.
Rapuntium ſpicatum foliis acutis F. 739.

Its *Flower* red. *Grows* on Mountains. The *Root* and *Bark* yields a venemous *Milk*, which will endanger the Eyes like *Spurge*, the very Smell of the *Flower* cauſes Vomiting, and the whole Plant is reckoned a *violent* Poiſon.

4. Tall *Chili* Violet.
Viola arboreſcens, *Origani* acuto folio F. 738.

A *Tea* of this is opening, its *Flower* blew and without Scent. *Grows* by *River* ſides a Foot and an half *high*.

5. Blew *Chili* Milkwort.
Polygala cærulea, anguſtis & denſioribus *Foliis* F. 721.

The *Natives* make a cold Infuſion of this Herb all Night in Water and drank in the Morning proves a ſtrong *Diuretick* and eaſes *Pleuritick* Pains. *Grows* on *Mountains*.

6. Chili *Panke*.
Panke *Anapodophylli* folio F. 741.

They eat the raw *Stalks* peeled, which are of a ſweetiſh agreeable Taſte, they alſo drink a *Tea* of its *Leaves*, which very much refreſhes them in violent Heats. The *Tanners* boil the *Roots* of this with their Skins which very much thickens them, it alſo yields a black Dye. *Grows* in moiſt *boggy* Places and by *River* ſides.

7. Chili *Llau-panke*.
Llau-panke ampliſſimo *Sonchi* folio F. 741.

They apply the *Juice* of this Plant to eaſe the Pain and ſtop the immoderate Flux of the *Piles*, they uſe alſo the Grounds of it Poultiſe-wiſe. The *Dyers* mix it in their Compoſitions to ſtain *Black*. Grows about a Yard high.

8. *Pichua* with *Purſlain* Leaves.
Tithymalus perennis *Portulacæ* folio F. 707.

The Inhabitants of *Chili*, &c. mix ſome Drops of the *Milk* of this *Spurge* in a large Glaſs of Water or Broth, which moderately and kindly purges them, for which Cauſe they call it the *weak* or *Female* Pichua. *Grows* commonly on the *Sea* Coaſts in *ſtoney* and *dry* Places.

9. Veiny *heart-leaved* Spurge.
Tithymalus fol. trinerviis & cordatis F. 709.

Grows with the laſt and *purges* like it.

10. Male *Pichua* Spurge.
So *call'd* becauſe it works more violently both upwards and downwards. It *differs* from the others, but *grows* in the ſame *Places*.

11. Chili *Ortiga*.
Ortiga urens, *Acanthii* folio F. 757.

Grows in *Valleys* about a *Cubit* high. *N.B.* Of this *Species* is the *Frutex* pungens & urens *Maregr.* 79. *Fig.* or the *ſtinging Palma Chriſti* of Wafer 27. p. 237.

11. Dyers *Itiu*.
Peryclymenum fol. acutis, *flor.* profundè diſſectis F. 760. *Grows* about 4 Yards *high*, with Scarlet *Flowers* on the ſides of *Mountains*. They uſe the *Chips* of this *Wood* with the *Roots* of *Panke* at *Fig.* 6. mixt with a black *Earth* call'd *Robbo*, theſe they boil in Water to a juſt height, with which they dye their *Stuffs* of a fine Black, which fades not like thoſe of *Europe*.

12. Pillabileum *or* Chili *Polypody*.
Polypodium rad. ſquamoſa F. 755. Filix *Dactyloides* perelegans *Muſ. Petiver* 215. *Ray* Vol. 3. p. 72.

A *Tea* of this opens *Obſtructions* and the Natives drink of it, when their *Stomachs* are overcharged. *Found* on the ſide of a *Mountain* near *Pincho* in *Chili*. It alſo grows about *Mount Serado* on the Coaſt of *Africa*.

13. Chili *Guilno* or *Purging* Oat-graſs.
Gramen Bromoides *Catharticum* F. 705.

They make a *Tea* of its *Roots* which they drink hot in a Morning which purges them; its Taſte like its Operation little different from *Sena*. *Grows* in *marſhy* and *wet* Places.

TAB. V. American *Gum-trees* and others very deſirable.

Fig. 1. B*Dellium*. Is ſaid to flow from the Trunk of a *Thorney* Tree, call'd *Bdellia* growing in *Arabia* and *India*, its *Leaves* are like the *Oak*, the *Fruit* reſembles a *Fig* and of a pretty good Reliſh. The *Gum* of a bitteriſh Taſte and turns yellow upon the Tongue, the beſt comes in oval Drops, is fragrant, reddiſh and tranſparent, it's uſed both externally and internally, being *aperitive*, *ſudorifick*, *digeſtive and diſcuſſive*, it haſtens *Birth*, provokes *Terms* and reſiſts *Poiſon*.

2. *Cancamum*. Reſembles ſeveral ſorts of *Gums* or *Roſins* of different Colours clotted or ſticking together, it's ſaid to come from *Arabia*; *Pomet* ſays it was brought him from *America* A. D. 1686. by Dr. *Briſot* of 4 different Colours clinging together, iſſuing from a *Tree* of a moderate height, *Lemery* ſays it ſtrengthens the Stomach and Bowels, kills Worms and opens Obſtructions of the Spleen, *&c.*

3. Balſam *Copaiba*, by ſome *Colocai* and by the *Portugueſe* Gamemolo. *Marcgrave* ſays the *Wood* is very red, which they ſaw into *Boards* for divers Uſes, its L. 4 or 5 Inches long and oval

oval, bears a midling 5 leaved *Flower*, its Pods roundish, thin shell'd, with a *Filbert*-kernel, which bruised smell like *Pease*. *Piso* adds that the *Fruit* ripens in *April* which the *Brasilians* eat, by sucking the Juice and spitting out the Skin; the *Monkeys* also are very greedy of them.

This *Balm* is yellower than *Turpentine*, and of a different Smell and Taste. It comforts the *Stomach* and *Bowels*, sweetens the whole Mass of *Blood* and is an admirablee *Vulnerary*, provokes *Urine* powerfully and stops *Fluxes* of all kinds, it's *sudorifick* and cures most Diseases where Sweating is proper and equal, if not excells all other *Natural* Balsams. It's said the *Natives* learnt the *vulnerary Virtue* of this *Balm* by observing the *Hogs* to repair to it when wounded.

4. *Caranna*. Flows from the Trunk of a *Tree* like a *Palm*, which grows plentifully in *New Spain*. Mr. *Lemery* says it's so call'd from *Carthagena* in the *Spanish* West *Indies* where it grows in plenty. It's so famed a *Cephalick*, *Arthritick* and *Vulnerary*, that it's usually said what *Tacamahac* cannot cure, *Caranna* can. *Hernandez* says it's a large *Tree* with longish L. growing *Star-wise*.

5. *Copal*. It's brought from *New Spain* and other Parts of *America*. *Pomet* says this *Gum* flows from the Trunks and Branches of several large *Trees* growing on the *Mountains* with *Fruit* like our *Cucumbers* but of a dark grey, in which is a mealy Flower of a very good Taste.

6. *Elemi*. This *Gum*, says *Pomet*, flows from the Cut Trunk and Branches of a midling *Tree* with long and narrow silvery *L.* and red *Flowers*, the Fruit of the Colour and Shape of *Olives*, and therefore by some *named* wild Olives. It's of singular Use in all *Wounds* and *Fractures* in the *Head* and *Scull*.

7. *New Balsam*. In Colour and Shape like *Tolu*, but of a less agreeable Smell, its boil'd from small red cluster'd *Fruit*, whose *L.* are very large and broad. *Grows* in *St. Domingo* and the other *Isles*.

8. Balsam *Peru* or *Natural Balsam*. This *Pomet* asserts, is made by boiling its *Bark*, Branches and Leaves in Water, scumming off the Fat which is this *black Balm*. It's used as a great *Pectoral*, particularly in *Asthma's*.

9. *Sarcocol* or *Flesh-glue*. Is a granulated *Gum* said to flow from a little prickly *Shrub* growing in *Arabia*, *Persia*, &c. It agglutinates *Flesh*, heals spongey *Wounds*, and stops *Hemorrhages*, it's also a very good *Ophthalmick*, taking away *Spots*, *Specks*, &c. hindring *Defluxions* into those Parts.

10. Liquid *Amber*. Comes by Incision from the Bark of a large Tree with *Ivy* Leaves growing in *Virginia* and *Mexico*. where it's call'd *Ocosolt* or *Ocotol*: It's very fragrant, consolides and mollifies the Hardness of the *Womb*, is good in *Sciatica*, *Rheumatism* and Weakness of the *Nerves*.

11. *Tacamahac*. Flows from the Bodies of large thick *Trees* like our *Poplars*, growing plentifully in *New Spain* and *Madagascar* where they are call'd *Harame*. The L. small and dented, the *Fruit* red of the Size of a large *Nut*, with a Peach-like *Stone*, odoriferous and Refinose. It's said to ease all manner of Pains in the *Head*, *Nerves*, *Joynts* or *Womb* and very good in *Vapours*. It's so famous amongst the *Indians*, that they use it in all *Pains* whatever.

12. Balsam *Tolu*. It being brought from that Province in *New Spain* seated between *Carthagena* and *Nombre de Dios*. It's of a grateful fragrant Smell, a great *Pectoral*, particularly in *Pthysicks*, *Catarrhs* and Defluxions. *Outwardly* it also eases old *Aches* and Pains in the *Head* and *Joynts*.

13. *Brasil Wood* or *Fernambuck*. Being the Place from whence it comes, where it is called by the *Brasilians* Ibirapitanga It's a thick large *Tree* with a reddish and thorney *Bark*, the L. small and blunt of a fine shining green. Its *Flower* little, sweet and of a beautiful red, with *Pods* flat and prickly. This *Wood* is used amongst the *Dyers*, and the *Stationerrs* make a red *Ink* of it.

14. Campechy, *Logwood* or *Brasiletto*.
In the Bay of *Campechy* it grows plentifully and thither our *English* go to cut it, it's also found in other Parts of *New Spain* as at *Sancta Cruce* where there are whole Forrests of it. *Pomet* and *Lemery* are both mistaken in making this Tree the same with our *Jamaica Pepper*, or *All Spice*, which we much better know than the *Logwood*, whose *Flowers* and *Fruit* we are as yet Strangers to.

15. Nephritick *Wood*. By reason it's a Sovereign Remedy for the *Stone*, *Gravel*, and Difficulty of *Urine*, it's also good in *Obstructions* of the *Liver* and *Spleen*. Grows in *New Spain* and chiefly about *Mexico*. *Hernandez* says it's a large Shrub with little roundish Leaves, its *Flower* yellow, long and little, growing in *Spikes*. The *Mexicans* call this Tree *Coatli* and *Tlapalz patli*.

16. Jesuits *Bark* or *Quinquina*.
This *Figure* is coppied from *Pomet*, who says it grows on the *Mountains* near the City *Loxa* in the Province of *Quito* in *Peru*; its Size about that of a *Cherry-tree*; the L. round and indented, its *Flower* reddish, with a Pod including an Almond-like *Kernel*, covered with a thin Skin. Its *Bark* is much better known to us than either its *Leaves*, *Flowers* or *Fruit*. *N. B.* It is therefore highly to be wish'd, that the *Physicians* or other *curious Persons* who correspond to, or reside in those Parts where this *Tree* or any of the aforegoing grow, would be pleased to procure *Branches* of their *Leaves*, with its *Flowers* and *Fruit* on them, which Favour shou'd be acknowledged and more accurate *Figures* given of each, if communicated to your humble Servant,

James Petiver, F. R. S. Lond.

Alderſgate-ſtreet, London.
May 21. 1715.

Mo. Bot. Garden.

Books, Tracts, &c. Published by the *Author*.

DE *Piscibus* Fluviatilibus *Anglicanis*. An *Account* of our *Fresh water* Fishes, *viz.* such as are found in *Lakes*, *Meres*, *Pools*, *Ponds*, *Brooks* or *Rivers*. Price 6*d*.

Cochlearum & Crustaceorum *Animalium* Britannicorum *Catalogus*. Price 8*d*.

De Scarabæis *Anglicanis*. In which are *named* and *described* near 250 different sorts of *English Beetles* in a *Classical* Method Price 1*s*. 6*d*.

De Bombyliis *Anglicanis*. Of *English* Humble Bees. Pr. 2*d*.

Mr. *Ray*'s Method of *English Plants* illustrated. Price 1*s*.

English Plants, with staminеous, thready or *Blink Flowers*, No. 120. whose *Figures* are already *Engraven*. Price 2*d*.

Mr. *Ray*'s British *Plants*. Illustrated with 600 *Figures*, in Folio *Copper Plates*. On which are *Engraven* their *Names* to each, with References to his *History* and *Synopsis* of British *Plants*, as also the *Places* were growing, Colour of their *Flowers*, and Time of *Flourishing*, if *Annual* or Perennial, *Common* or Rare, *Medicinal* or otherwise. The *Flower*, Seed, Vessel, *&c. Figured* from the *Life*, and added to each different *kind*. Price *One* Guinea and an half.

The *English* or *Latin* Engraven *Catalogues* of the abovesaid 600 *Plants*, 1*s*. 6*d*. each.

Labels for *Specimens* of *English* Wild *Plants*. 1*s*. 6*d*.

Labels for *Medicinal* English and Foreign *Plants*, 1*s*. 6*d*. and if desired, the *Specimens* themselves.

Botanicum *Londinense*, or *London* Herbal. Giving the *Names Descriptions* and *Virtues*, &c. of such *Plants* about *London*, as have been *observed* in the several *Monthly Herborizings* made for the Use of the young *Apothecaries* and others, *Students* in the *Science* of *Botany* or Knowledge of *Plants*. Price 2*s*. 6*d*.

Catalogues of *Sheppy*, *Kentish* and *Gloucestershire* Fossils. Pr. 6*d*.

A *Voyage* to the *Levant*, viz. *Sardinia*, *Sicily*, *Cyprus*, *Scanderoon*, *Rhodes*, *Stanchio* or *Coos*, *Samos*, *Scio* and *Smyrna*. Giving an *Account* of each *Place*, their *Inhabitants*, *Language*, *Coins*, *Weights* and *Measures*, their *Provisions* and *Prices*, *Animals*, *Vegetables*, &c. to which are added some *Plants* lately discovered on the *Islands* of *Chio* and *Samos*. Price 8*d*.

An *Account* of several *Collectors* of natural Rarities in *Italy*. Price 6*d*.

De Animalibus *Crustaceis Caudatis*. Of divers *Crustaceous Animals*, as *Lobsters*, *Crawfish*, *Pawns*, *Shrimps*, &c. extracted from *P. Bellonius* and *G. Rondeletius* with *Remarks* on them. Pr. 6*d*.

A *Catalogue* of the more *Rare Plants*, now and lately growing in the *Physick Garden* at *Leyden*. Price 8*d*.

Catalogus *Plantarum* Indigenarum *Hispaniæ* & *Italiæ*, quorum *Icones* à *Jacobo Barrelier* nuper incisæ sunt. Price 4*d*.

Plants *observed* on the famous Mountains and other Places about *Geneva* by the Celebrated Mr. *Ray* and other *Botanists*. Price 1*s*.

Madam *Merian's* History of *Surinam Insects*, abbreviated and methodized, with some *Remarks* on them. Price 1*s*.

The *Virtues* of several *Sovereign Plants* found wild in *Maryland* with *Remarks* on them. Price 6*d*.

Pterigraphia *Americana*. In which are the *complete Figures* of near 200 different sorts of rare *American Ferns*, with divers *Mushrooms*, *Coralls*, *Sponges*, *Shells*, &c. Price 10*s*.

Gazophylacium *Naturæ*. Containing the *Figures* of above 1200 different *Animals*, *Plants*, *Fossils*, &c. from all Parts of the *World*, with their *Names*, &c. in 100 *Folio* Copper *Plates*. Price 1*l*. 10*s*. The *Catalogues* and *Descriptions* separate 2*s*. 6*d*.

Musæi *Petiveriani* Centuriæ X. *Figuris*. Price 2*s*. 6*d*.

N. B. *Divers* of these *Tracts* are now so very *scarce*, that of some of them, there are not 20 left.

Plantæ Medicinales *e PERU.* *Medicinall PERU* Plants. *TAB.* I.

Fig. 1.

Chilca
Peru

Manga
Paki.
Vallibus

2

Paica
Iullo.
Fl. *albo*

3

Vallibus
saxosis.
Fl. *lut.*

4

Campis.
Fl. *albo.*

5

Campis &
Hortis Fl.
coccin.

6

Hortis
Fl. *cerul.*

7

Caigua
Fl. *albic.*

Hortis &c.

8

Hortis &c.

9

10

Fl. *cærul.*

Ancoa-
cha.
Ripis
Fl. *luteo*

11

12

Fl. *albo*

Plantæ Medicinales *e PERU &c. Medicinall PERU* Plants. *TAB.* II.

Fig. 1.
Vallibus.
Fl. *luteo-viridi*

Vallibus
Fl. *luteo*

2

Ripis
Fl. *lut.*

3

4

Montosis
Fl. *luteo*

Pelegrina
Hisp.

5

Montosis
Fl. *purp.*

Vallibus
Fl. *ceruleſe*

6

Malla
Pakarito
Hisp.

Per.

Fl. *flavo*

7

8

Tara
Vallibus.

CHILI Plants.

Nillgue
Chilens
Maritimis
Fl. *luteo*

9

10

Flori-
pondio.
Fl. *albo.*

11
Montosis
Fl. *albo*

Montosis
Fl. *cærul*

12

Plantæ Medicinales *e* CHILI. *Medicinall* CHILI Plants. TAB. III.

Quell gon

Fl. coccin.
Montosis

Fig 1.

Ripis. Fl. purp

2

Montosis Fl. Purp.

Cachen

3

Cullé Fl. Roseo.

Humidis.

4

Fl. lut. Campis.

5

Ligtr

Ripis Fl. purp. striatis

6

Salsilla Fl. purpur.

Montosis.

7

8

Illeu Montosis. Fl. cerul.

Salsa Montos

Fl. lut. pallid.

9

Nuil Montosis siccis. Fl. albo

10

Gavilu Fl. alb.

Montos. siccis.

xi

Piquichien Montosis Fl. viridi striato

12

Fl. lut. Gavilu Humidis.

Fig. 1.

Fl. *luteo*
Ripis Fluv.

Fl. *sanguineo.*
Humidis

2

Tupa

Fl. *rubr.*
Montanis

3

Fl. *cæ* *ruleo*
Ripis.

4

5

Clin-clin
Fl. *cærul.*
Montan

Panke
Humidis

6

& *Aquos.*

7

Laupanke
Fl. *rubro*
Montanis.

Pichua
Saxosis & Aridis.

8

Pichua
Saxosis &
Aridis.

9

Ortiga
Vallibus.

10

Ytiu.
Montosis.

11

Pillabileum
Montosis

12

Guilno
Ripis &
Humidis.

13

AMERICAN GUM *Trees & others very desirable*

Tab. V.

1. Gum Bdellium Rax. 1844. 6.

2. Cancamum R. 1846. 8.

3 Balsam Copaiba or Capiva R. 1759. 4.

4. Gum Caranna R. 1847. 12

5. Gum Copal R. 1846. 10.

6. Gum Elemi R. 1847 14.

7. New Balsam P. 281. 53. Dr. 208. 53.

8 Natural Balsam R. 1757. 2.

9. Gum Sarcocol R. 1847. 13.

10. Liquid Ambar Rax 1681.

11. Gum Tacamahac R. 1846. 11.

12. Balsam Tolu R. 1758. 3.

13. Brasil Wood R. 1736. c. 2.

14. Campech Wood

15. Nephritick Wood R. 1804. 4.

16. Quinquina or Jesuits Bark R. 1796. c. 9.

Sutton Nicholls sculp